

### ***Amendments to the Claims***

This listing of claims replaces all previous versions and listings of claims.

#### **Listing of Claims:**

1-24. (canceled)

<sup>1</sup>  
~~25.~~ (previously presented) An isolated antibody or fragment thereof that specifically binds to a protein selected from the group consisting of:

- (a) amino acid residues +1 to 371 of SEQ ID NO:2;
- (b) amino acid residues +23 to +371 of SEQ ID NO:2;
- (c) amino acid residues +1 to +231 of SEQ ID NO:2;
- (d) amino acid residues +23 to +225 of SEQ ID NO:2;
- (e) a protein consisting of a portion of SEQ ID NO:2, wherein said portion comprises at least 30 contiguous amino acid residues of SEQ ID NO:2; and
- (f) a protein consisting of a portion of SEQ ID NO:2, wherein said portion comprises at least 50 contiguous amino acid residues of SEQ ID NO:2.

<sup>2</sup>  
~~26.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~ that specifically binds protein (a).

<sup>4</sup>  
~~27.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~ that specifically binds protein (b).

<sup>17</sup>  
~~28.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~ that specifically binds protein (c).

<sup>18</sup>  
~~29.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~ that specifically binds protein (d).

<sup>19</sup>  
~~30.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~<sup>1</sup> that specifically binds protein (e).

<sup>20</sup>  
~~31.~~ (previously presented) The antibody or fragment thereof of claim ~~25~~<sup>1</sup> that specifically binds protein (f).

<sup>3</sup>  
~~32.~~ (previously presented) The antibody or fragment thereof of claim ~~26~~<sup>2</sup> that specifically binds protein (b).

<sup>5</sup>  
~~33.~~ (previously presented) The antibody or fragment thereof of claim ~~27~~<sup>4</sup> wherein said protein bound by said antibody or fragment thereof is glycosylated.

<sup>6</sup>  
~~34.~~ (previously presented) The antibody or fragment thereof of claim ~~27~~<sup>4</sup>, which is a human antibody.

<sup>7</sup>  
~~35.~~ (previously presented) The antibody or fragment thereof of claim ~~27~~<sup>4</sup>, which is a polyclonal antibody.

<sup>8</sup>  
~~36.~~ (previously presented) The antibody or fragment thereof of claim ~~27~~<sup>4</sup>, which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a humanized antibody;
- (c) a single chain antibody; and
- (d) a Fab fragment.

<sup>9</sup>  
~~37.~~ (previously presented) The antibody or fragment thereof of claim ~~27~~<sup>4</sup> which is labeled.

<sup>10</sup>  
~~38.~~ (previously presented) The antibody or fragment thereof of claim ~~37~~<sup>4</sup> wherein the label is selected from the group consisting of:

- (a) an enzyme;
- (b) a fluorescent label;
- (c) a luminescent label;
- (d) a bioluminescent label; and
- (e) a prosthetic group.

<sup>11</sup>  
39. (previously presented) The antibody or fragment thereof of claim <sup>4</sup>27 wherein said antibody or fragment thereof specifically binds to said protein in a Western blot.

<sup>12</sup>  
40. (previously presented) The antibody or fragment thereof of claim <sup>4</sup>27 wherein said antibody or fragment thereof specifically binds to said protein in an ELISA.

<sup>13</sup>  
41. (previously presented) An isolated cell that produces the antibody or fragment thereof of claim <sup>4</sup>27.

<sup>14</sup>  
42. (previously presented) A hybridoma that produces the antibody or fragment thereof of claim <sup>4</sup>27.

<sup>15</sup>  
43. (currently amended) A method of detecting CRCGCL cytokine receptor common gamma chain like protein in a biological sample comprising:

- (a) contacting the biological sample with the antibody or fragment thereof of claim <sup>4</sup>27; and
- (b) detecting the CRCGCL cytokine receptor common gamma chain like protein in the biological sample.

<sup>10</sup>  
44. (previously presented) The method of claim <sup>15</sup>43 wherein the antibody or fragment thereof is a polyclonal antibody.

21  
45. (currently amended) An isolated antibody or fragment thereof obtained from an animal that has been immunized with a protein selected from the group consisting of:

- (a) a protein comprising amino acid residues +1 to 371 of SEQ ID NO:2;
- (b) a protein comprising amino acid residues +23 to +371 of SEQ ID NO:2;
- (c) a protein comprising amino acid residues +1 to +231 of SEQ ID NO:2;
- (d) a protein comprising amino acid residues +23 to +225 of SEQ ID NO:2;
- (e) a protein comprising the amino acid sequence of at least 30 contiguous amino acid residues of SEQ ID NO:2; and
- (f) a protein comprising the amino acid sequence of at least 50 contiguous amino acid residues of SEQ ID NO:2;

wherein said antibody or fragment thereof specifically binds to said amino acid sequence residues.

22  
46. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (a).

23  
47. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (b).

24  
48. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (c).

25  
49. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (d).

26  
50. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (e).

27  
51. (previously presented) The antibody or fragment thereof of claim 45 21  
obtained from an animal immunized with protein (f).

<sup>28</sup>  
~~52.~~ (previously presented) The antibody or fragment thereof of claim ~~45~~,<sup>21</sup>  
which is a monoclonal antibody.

<sup>29</sup>  
~~53.~~ (previously presented) The antibody or fragment thereof of claim ~~45~~,<sup>21</sup>  
which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a polyclonal antibody;
- (c) a humanized antibody;
- (d) a single chain antibody; and
- (e) a Fab fragment.

<sup>30</sup>  
~~54.~~ (previously presented) An isolated monoclonal antibody or fragment  
thereof that specifically binds to a protein selected from the group consisting of:

- (a) a protein consisting of amino acid residues +1 to 371 of SEQ ID NO:2;
- (b) a protein consisting of amino acid residues +23 to +371 of SEQ ID NO:2;
- (c) a protein consisting of amino acid residues +1 to +231 of SEQ ID NO:2;
- (d) a protein consisting of amino acid residues +23 to +225 of SEQ ID NO:2;
- (e) a protein consisting of a portion of SEQ ID NO:2, wherein said portion  
comprises at least 30 contiguous amino acid residues of SEQ ID NO:2; and
- (f) a protein consisting of a portion of SEQ ID NO:2, wherein said portion  
comprises at least 50 contiguous amino acid residues of SEQ ID NO:2.

<sup>31</sup>  
~~55.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that<sup>30</sup>  
specifically binds protein (a).

<sup>32</sup>  
~~56.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that<sup>30</sup>  
specifically binds protein (b).

<sup>43</sup>  
~~57.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that<sup>30</sup>  
specifically binds protein (c).

~~44~~ 30  
~~58.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that specifically binds protein (d).

~~45~~ 30  
~~59.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that specifically binds protein (e).

~~46~~ 30  
~~60.~~ (previously presented) The antibody or fragment thereof of claim ~~54~~ that specifically binds protein (f).

~~33~~ 32  
~~61.~~ (previously presented) The antibody or fragment thereof of claim ~~56~~ wherein said protein bound by said antibody or fragment thereof is glycosylated.

~~34~~ 32  
~~62.~~ (previously presented) The antibody or fragment thereof of claim ~~56~~, which is a human antibody.

~~35~~ 32  
~~63.~~ (previously presented) The antibody or fragment thereof of claim ~~56~~, which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a humanized antibody;
- (c) a single chain antibody; and
- (d) a Fab fragment.

~~36~~ 32  
~~64.~~ (previously presented) The antibody or fragment thereof of claim ~~56~~, which is labeled.

~~37~~ 36  
~~65.~~ (previously presented) The antibody or fragment thereof of claim ~~64~~ wherein the label is selected from the group consisting of:

- (a) an enzyme;
- (b) a fluorescent label;
- (c) a luminescent label;

- (d) a bioluminescent label; and
- (e) a prosthetic group.

<sup>38</sup>  
~~66.~~ (previously presented) The antibody or fragment thereof of claim ~~36~~<sup>32</sup> wherein said antibody or fragment thereof specifically binds to said protein in a Western blot.

<sup>39</sup>  
~~67.~~ (previously presented) The antibody or fragment thereof of claim ~~36~~<sup>32</sup> wherein said antibody or fragment thereof specifically binds to said protein in an ELISA.

<sup>40</sup>  
~~68.~~ (previously presented) An isolated cell that produces the antibody or fragment thereof of claim ~~36~~<sup>32</sup>.

<sup>41</sup>  
~~69.~~ (previously presented) A hybridoma that produces the antibody or fragment thereof of claim ~~36~~<sup>32</sup>.

<sup>42</sup>  
~~70.~~ (currently amended) A method of detecting ~~CRCGCL~~ cytokine receptor common gamma chain like protein in a biological sample comprising:

(a) <sup>32</sup> contacting the biological sample with the antibody or fragment thereof of claim ~~36~~; and

(b) detecting the ~~CRCGCL~~ cytokine receptor common gamma chain like protein in the biological sample.

<sup>47</sup>  
~~71.~~ (previously presented) An isolated antibody or fragment thereof that specifically binds to a protein selected from the group consisting of:

(a) a protein consisting of the full-length polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(b) a protein consisting of the mature form of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(c) a protein consisting of the extracellular soluble domain of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(d) a protein consisting of a portion of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641, wherein said portion comprises at least 30 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641; and

(e) a protein consisting of a portion of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641, wherein said portion comprises at least 50 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641.

<sup>48</sup>  
~~72~~. (previously presented) The antibody or fragment thereof of claim ~~71~~<sup>47</sup> that specifically binds protein (a).

<sup>50</sup>  
~~73~~. (previously presented) The antibody or fragment thereof of claim ~~71~~<sup>47</sup> that specifically binds protein (b).

<sup>63</sup>  
~~74~~. (previously presented) The antibody or fragment thereof of claim ~~71~~<sup>47</sup> that specifically binds protein (c).

<sup>64</sup>  
~~75~~. (previously presented) The antibody or fragment thereof of claim ~~71~~<sup>47</sup> that specifically binds protein (d).

<sup>65</sup>  
~~76~~. (previously presented) The antibody or fragment thereof of claim ~~71~~<sup>47</sup> that specifically binds protein (e).

<sup>79</sup>  
~~77~~. (previously presented) The antibody or fragment thereof of claim ~~72~~<sup>48</sup> that specifically binds protein (b).

<sup>51</sup>  
~~78~~. (previously presented) The antibody or fragment thereof of claim ~~73~~<sup>50</sup> wherein said protein bound by said antibody or fragment thereof is glycosylated.



<sup>52</sup>  
79. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73,  
which is a human antibody.

<sup>53</sup>  
80. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73,  
which is a polyclonal antibody.

<sup>54</sup>  
81. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73  
which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a humanized antibody;
- (c) a single chain antibody; and
- (d) a Fab fragment.

<sup>55</sup>  
82. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73,  
which is labeled.

<sup>56</sup>  
83. (previously presented) The antibody or fragment thereof of claim <sup>55</sup>82  
wherein the label is selected from the group consisting of:

- (a) an enzyme;
- (b) a fluorescent label;
- (c) a luminescent label;
- (d) a bioluminescent label; and
- (e) a prosthetic group.

<sup>57</sup>  
84. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73  
wherein said antibody or fragment thereof specifically binds to said protein in a Western  
blot.

<sup>58</sup>  
85. (previously presented) The antibody or fragment thereof of claim <sup>50</sup>73  
wherein said antibody or fragment thereof specifically binds to said protein in an ELISA.

<sup>59</sup>  
~~86.~~ (previously presented) An isolated cell that produces the antibody or fragment thereof of claim ~~73.~~<sup>50</sup>

<sup>60</sup>  
~~87.~~ (previously presented) A hybridoma that produces the antibody or fragment thereof of claim ~~73.~~<sup>50</sup>

<sup>61</sup>  
~~88.~~ (currently amended) A method of detecting ~~CRCGL~~ cytokine receptor common gamma chain like protein in a biological sample comprising:

(a) <sup>50</sup> contacting the biological sample with the antibody or fragment thereof of claim ~~73.~~<sup>50</sup>; and

(b) detecting the ~~CRCGL~~ cytokine receptor common gamma chain like protein in the biological sample.

<sup>62</sup>  
~~89.~~ (previously presented) The method of claim ~~88~~<sup>61</sup> wherein the antibody or fragment thereof is a polyclonal antibody.

<sup>63</sup>  
~~90.~~ (previously presented) An isolated antibody or fragment thereof obtained from an animal that has been immunized with a protein selected from the group consisting of:

(a) a protein comprising the amino acid sequence of the full-length polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(b) a protein comprising the amino acid sequence of the mature form of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(c) a protein comprising the amino acid sequence of the extracellular soluble domain of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(d) a protein comprising the amino acid sequence of at least 30 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641; and

(e) a protein comprising the amino acid sequence of at least 50 contiguous amino acid residues the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

wherein said antibody or fragment thereof specifically binds to said amino acid sequence.

<sup>67</sup>  
91. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90 obtained from an animal immunized with protein (a).

<sup>68</sup>  
92. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90 obtained from an animal immunized with protein (b).

<sup>69</sup>  
93. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90 obtained from an animal immunized with protein (c).

<sup>70</sup>  
94. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90 obtained from an animal immunized with protein (d).

<sup>71</sup>  
95. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90 obtained from an animal immunized with protein (e).

<sup>72</sup>  
96. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90, which is a monoclonal antibody.

<sup>73</sup>  
97. (previously presented) The antibody or fragment thereof of claim <sup>66</sup>90, which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a polyclonal antibody;
- (c) a humanized antibody;
- (d) a single chain antibody; and

- (e) a Fab fragment.

<sup>74</sup>  
~~98.~~ (previously presented) An isolated monoclonal antibody or fragment thereof that specifically binds to a protein selected from the group consisting of:

(a) a protein consisting of the full-length polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(b) a protein consisting of the mature form of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(c) a protein consisting of the extracellular soluble domain of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641;

(d) a protein consisting of a portion of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641, wherein said portion comprises at least 30 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641; and

(e) a protein consisting of a portion of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641, wherein said portion comprises at least 50 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit Number 209691 or 209641.

<sup>75</sup>  
~~99.~~ (previously presented) The antibody or fragment thereof of claim <sup>74</sup>~~98~~ that specifically binds protein (a).

<sup>77</sup>  
~~100.~~ (previously presented) The antibody or fragment thereof of claim <sup>74</sup>~~98~~ that specifically binds protein (b).

<sup>88</sup>  
~~101.~~ (previously presented) The antibody or fragment thereof of claim <sup>74</sup>~~98~~ that specifically binds protein (c).

<sup>89</sup>  
~~102.~~ (previously presented) The antibody or fragment thereof of claim <sup>74</sup>~~98~~ that specifically binds protein (d).

<sup>90</sup>  
103. (previously presented) The antibody or fragment thereof of claim <sup>74</sup>98 that specifically binds protein (e).

<sup>76</sup>  
104. (previously presented) The antibody or fragment thereof of claim <sup>75</sup>99 that specifically binds protein (b).

<sup>78</sup>  
105. (previously presented) The antibody or fragment thereof of claim <sup>77</sup>100 wherein said protein bound by said antibody or fragment thereof is glycosylated.

<sup>79</sup>  
106. (previously presented) The antibody or fragment thereof of claim <sup>77</sup>100, which is a human antibody.

<sup>80</sup>  
107. (previously presented) The antibody or fragment thereof of claim <sup>77</sup>100, which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a humanized antibody;
- (c) a single chain antibody; and
- (d) a Fab fragment.

<sup>81</sup>  
108. (previously presented) The antibody or fragment thereof of claim <sup>77</sup>100, which is labeled.

<sup>82</sup>  
109. (previously presented) The antibody or fragment thereof of claim <sup>81</sup>108, wherein the label is selected from the group consisting of:

- (a) an enzyme;
- (b) a fluorescent label;
- (c) a luminescent label;
- (d) a bioluminescent label; and
- (e) a prosthetic group.

83  
110. (previously presented) The antibody or fragment thereof of claim 100<sup>77</sup> wherein said antibody or fragment thereof specifically binds to said protein in a Western blot.

84  
111. (previously presented) The antibody or fragment thereof of claim 100<sup>77</sup> wherein said antibody or fragment thereof specifically binds to said protein in an ELISA.

85  
112. (previously presented) An isolated cell that produces the antibody or fragment thereof of claim 100.<sup>77</sup>

86  
113. (previously presented) A hybridoma that produces the antibody or fragment thereof of claim 100.<sup>77</sup>

87  
114. (currently amended) A method of detecting CRCGL cytokine receptor common gamma chain like protein in a biological sample comprising:

(a)<sup>77</sup> contacting the biological sample with the antibody or fragment thereof of claim 100; and

(b) detecting the CRCGL cytokine receptor common gamma chain like protein in the biological sample.

91  
115. (currently amended) An isolated antibody or fragment thereof that specifically binds a CRCGL cytokine receptor common gamma chain like protein expressed on the surface of a cell, said cell comprising a polynucleotide encoding amino acids +1 to +371 of SEQ ID NO:2 operably associated with a regulatory sequence that controls the expression of said polynucleotide.

92  
116. (previously presented) The antibody or fragment thereof of claim 115,<sup>91</sup> which is a monoclonal antibody.

~~117~~<sup>93</sup> (previously presented) The antibody or fragment thereof of claim ~~115~~<sup>91</sup>,  
which is a human antibody.

~~118~~<sup>94</sup> (previously presented) The antibody or fragment thereof of claim ~~115~~<sup>91</sup>,  
which is selected from the group consisting of:

- (a) a chimeric antibody;
- (b) a polyclonal antibody;
- (c) a humanized antibody;
- (d) a single chain antibody; and
- (e) a Fab fragment.

~~119~~<sup>95</sup> (previously presented) The antibody or fragment thereof of claim ~~115~~<sup>91</sup>,  
wherein said antibody or fragment thereof specifically binds to said protein in a Western  
blot.

~~120~~<sup>96</sup> (previously presented) The antibody or fragment thereof of claim ~~115~~<sup>91</sup>,  
wherein said antibody or fragment thereof specifically binds to said protein in an ELISA.